

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M APC

Revision date: 06.01.2023

Product code: GM0044

Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

GYEON Q2M APC

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

vehicle shampoo/cleaner.  
Enthusiasts and professional use (End consumer)

#### Uses advised against

Any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Company name: Gyeon Technology  
Street: 1405-538, 212, Gasan digital 1-ro  
Place: Geumcheon-gu, Seoul, Korea  
Telephone: +82-10-4339-3599  
Contact person: Robert Gyeon  
e-mail: sales@gyeon.co

#### Supplier

Company name: Gyeon UK Ltd  
Street: Commercial Quay, 84 Commercial Street  
Place: GB-EH6 6LX Edinburgh  
e-mail: hello@gyeonquartz.uk  
Contact person: Richard Cooper Telephone: +44 (0)7984 056790

### 1.4. Emergency telephone number:

National Poisons Information Service - 03448920111. 'For healthcare professionals only'.

### Further Information

Safety Data Sheet according to UK-REACH Regulation

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Met. Corr. 1; H290  
Skin Corr. 1; H314  
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

The mixture was classified as corrosive precautionary due to an extreme pH-value (pH  $\geq$  11,5).

### 2.2. Label elements

#### GB CLP Regulation

#### Hazard components for labelling

Tetrasodium pyrophosphate

Signal word: Danger

#### Pictograms:



## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M APC

Revision date: 06.01.2023

Product code: GM0044

Page 2 of 13

#### Hazard statements

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Special labelling of certain mixtures

EUH208 Contains linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (LINALOOL), (R)-p-mentha-1,8-diene; d-limonene (LIMONENE). May produce an allergic reaction.

#### 2.3. Other hazards

The substances in the mixture (> 0.1%) do not meet the PBT/vPvB criteria according to UK REACH. This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria. This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7722-88-5	Tetrasodium pyrophosphate			1 - < 3 %
	231-767-1			
	Acute Tox. 4, Eye Dam. 1; H302 H318			
34590-94-8	(2-methoxymethylethoxy)propanol			1 - < 3 %
	252-104-2			
7758-29-4	Pentasodium triphosphate			1 - < 3 %
	231-838-7			
10101-89-0	Phosphoric acid, trisodium salt, dodecahydrate			0.5 - < 1 %
	600-151-8			
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			
78-70-6	linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (LINALOOL)			0.2 - < 0.3 %
	201-134-4	603-235-00-2		
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1B; H315 H319 H317			
1589-47-5	2-methoxypropanol			0.2 - < 0.3 %
	216-455-5	603-106-00-0		
	Flam. Liq. 3, Repr. 1B, Skin Irrit. 2, Eye Dam. 1, STOT SE 3; H226 H360D H315 H318 H335			
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene (LIMONENE)			0.1 - < 0.2 %

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M APC

Revision date: 06.01.2023

Product code: GM0044

Page 3 of 13

	227-813-5	601-096-00-2	
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 3; H226 H315 H317 H304 H400 H412		

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7722-88-5	231-767-1	Tetrasodium pyrophosphate	1 - < 3 %
		oral: ATE = 500 mg/kg	
34590-94-8	252-104-2	(2-methoxymethylethoxy)propanol	1 - < 3 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
78-70-6	201-134-4	linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (LINALOOL)	0.2 - < 0.3 %
		dermal: LD50 = >5000 mg/kg; oral: LD50 = 2200 mg/kg	
5989-27-5	227-813-5	(R)-p-mentha-1,8-diene; d-limonene (LIMONENE)	0.1 - < 0.2 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 2000 mg/kg Aquatic Acute 1; H400: M=1	

#### Labelling for contents according to Regulation (EC) No 648/2004

< 5 % phosphates, < 5 % non-ionic surfactants, perfumes (Linalool, Limonene).

#### Further Information

Product does not contain listed SVHC substances > 0.1 % according to UK REACH.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician. In the case of lung irritation: Primary treatment using corticoide spray, eg. Auxiloson spray, Pulmicort-dosage-spray. (Auxiloson and Pulmicort are registered trademarks).

#### After contact with skin

Seek medical treatment immediately.

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing.

#### After contact with eyes

Seek medical treatment immediately.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect).

Observe risk of aspiration if vomiting occurs. Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Causes severe skin burns and eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M APC

Revision date: 06.01.2023

Product code: GM0044

Page 4 of 13

#### **Suitable extinguishing media**

Sand. Foam. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder.  
In case of major fire and large quantities: Water spray jet. Water mist.

#### **Unsuitable extinguishing media**

High power water jet.

#### **5.2. Special hazards arising from the substance or mixture**

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Phosphorus oxides.

#### **5.3. Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Co-ordinate fire-fighting measures to the fire surroundings.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

##### **For non-emergency personnel**

Wear personal protection equipment (refer to section 8).

##### **For emergency responders**

No special measures are necessary.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).  
Treat the recovered material as prescribed in the section on waste disposal.

##### **For cleaning up**

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### **6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Wear suitable protective clothing. (See section 8.)  
Conditions to avoid: aerosol or mist formation  
Avoid contact with skin, eyes and clothes.

##### **Advice on protection against fire and explosion**

Usual measures for fire prevention.

##### **Advice on general occupational hygiene**

When using do not eat, drink or smoke.

##### **Further information on handling**

General protection and hygiene measures: See section 8.

#### **7.2. Conditions for safe storage, including any incompatibilities**

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M APC

Revision date: 06.01.2023

Product code: GM0044

Page 5 of 13

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Make sure spills can be contained (e.g. sump pallets or kerbed areas).

#### Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Organic peroxides. Self-reactive substances and mixtures. Radioactive substances. Infectious substances.

#### Further information on storage conditions

Recommended storage temperature: 20 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

#### 7.3. Specific end use(s)

See section 1.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
7722-88-5	Tetrasodium pyrophosphate	-	5		TWA (8 h)	WEL

### 8.2. Exposure controls



#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection. BS/EN 166

##### Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time  $\geq$  8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time  $\geq$  8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The selected protective gloves have to satisfy the specifications of the Personal Protective Equipment at Work (Amendment) Regulations 2022 and the standard EN ISO 374.

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M APC

Revision date: 06.01.2023

Product code: GM0044

Page 6 of 13

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- Exceeding exposure limit values
- Insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). Type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

#### Environmental exposure controls

No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	light yellow	
Odour:	like orange	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		100 °C
Flammability:		not determined
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		13
Viscosity / kinematic:		not determined
Water solubility:		not determined
Solubility in other solvents		
No information available.		
Dissolution rate:		not relevant
Partition coefficient n-octanol/water:		not determined
Dispersion stability:		not relevant
Vapour pressure:		not determined
Density:		not determined
Bulk density:		not determined
Relative vapour density:		not determined
Particle characteristics:		not relevant

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

none

Sustaining combustion:

No data available

Self-ignition temperature

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M APC

Revision date: 06.01.2023

Product code: GM0044

Page 7 of 13

Solid: not relevant  
 Gas: not relevant  
 Oxidizing properties  
 none

#### Other safety characteristics

Evaporation rate: not determined  
 Solvent separation test: not determined  
 Solvent content: not determined  
 Solid content: not determined  
 Sublimation point: not determined  
 Softening point: not determined  
 Pour point: not determined  
 Viscosity / dynamic: not determined  
 Flow time: not determined

#### Further Information

No information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.  
 Refer to chapter 10.5.

### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

### 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.  
 Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Phosphorus oxides.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicokinetics, metabolism and distribution

No information available.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) 41666,7 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7722-88-5	Tetrasodium pyrophosphate				
	oral	ATE 500 mg/kg			
34590-94-8	(2-methoxymethylethoxy)propanol				

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M APC

Revision date: 06.01.2023

Product code: GM0044

Page 8 of 13

	oral	LD50 mg/kg	>5000	Rat	ECHA dossier	
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA dossier	
78-70-6	linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (LINALOOL)					
	oral	LD50 mg/kg	2200	Mouse.	ECHA Dossier	
	dermal	LD50 mg/kg	>5000	Rabbit	ECHA Dossier	
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene (LIMONENE)					
	oral	LD50 mg/kg	> 2000	Rat	ECHA dossier	OECD Guideline 423
	dermal	LD50 mg/kg	> 5000		ECHA dossier	

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

#### Sensitising effects

Contains linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (LINALOOL), (R)-p-mentha-1,8-diene; d-limonene (LIMONENE). May produce an allergic reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

(2-methoxymethylethoxy)propanol:

OECD OECD Guideline 473 (In Vitro Mammalian Chromosomal Aberration Test) = negative.

Literature information: ECHA dossier

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

(2-methoxymethylethoxy)propanol:

Subacute oral toxicity NOAEL = 1000 mg/kg (Rat.)

Subchronic dermal toxicity NOEL = 2850 mg/kg (Rabbit.)

Subchronic inhalative toxicity NOAEL = 200 ppm (Rat.) ; Literature information: ECHA dossier

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria.

##### Other information

No data available.

### SECTION 12: Ecological information

#### 12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
34590-94-8	(2-methoxymethylethoxy)propanol					
	Acute fish toxicity	LC50 mg/l	>1000	96 h Poecilia reticulata (Guppy)	ECHA dossier	

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M APC

Revision date: 06.01.2023

Product code: GM0044

Page 9 of 13

	Acute algae toxicity	ErC50 mg/l	>1000	72 h	Pseudokirchneriella subcapitata	ECHA dossier	
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna	ECHA dossier	
78-70-6	linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (LINALOOL)						
	Acute fish toxicity	LC50 mg/l	27,8	96 h	Oncorhynchus mykiss (Rainbow trout)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	88,3	96 h	Desmodesmus subspicatus	ECHA Dossier	
	Acute crustacea toxicity	EC50	59 mg/l	48 h	Daphnia magna	ECHA Dossier	
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene (LIMONENE)						
	Acute fish toxicity	LC50 mg/l	0,72	96 h	Pimephales promelas	ECHA dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	0,32	72 h	Pseudokirchneriella subcapitata	ECHA dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,307	48 h	Daphnia magna	ECHA dossier	OECD Guideline 202
	Acute bacteria toxicity	(EC50 mg/l)	209	3 h		ECHA dossier	

#### 12.2. Persistence and degradability

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
34590-94-8	(2-methoxymethylethoxy)propanol			
	OECD 301F / ISO 9408 / EEC 92/69 annex V, C.4-D	76 %	28	ECHA dossier
	Easily biodegradable (concerning to the criteria of the OECD)			
78-70-6	linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (LINALOOL)			
	OECD 301D / EEC 92/69 annex V, C.4-E	64,2%	28	ECHA Dossier
	Easily biodegradable (concerning to the criteria of the OECD)			
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene (LIMONENE)			
	OECD 301D / EEC 92/69 annex V, C.4-E	80 %	28	ECHA dossier
	Easily biodegradable (concerning to the criteria of the OECD)			

#### 12.3. Bioaccumulative potential

##### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
78-70-6	linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (LINALOOL)	2,84
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene (LIMONENE)	4,38

##### BCF

CAS No	Chemical name	BCF	Species	Source
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene (LIMONENE)	864,8	no data	ECHA dossier

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %.

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M APC

Revision date: 06.01.2023

Product code: GM0044

Page 10 of 13

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %.

#### 12.7. Other adverse effects

No information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

##### List of Wastes Code - residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

##### List of Wastes Code - used product

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

##### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

##### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

##### 14.1. UN number or ID number:

UN 1760

##### 14.2. UN proper shipping name:

CORROSIVE LIQUID, N.O.S. (Tetrasodium pyrophosphate, Phosphoric acid, trisodium salt, dodecahydrate)

##### 14.3. Transport hazard class(es):

8

##### 14.4. Packing group:

III

Hazard label:

8



Classification code:

C9

Special Provisions:

274

Limited quantity:

5 L

Excepted quantity:

E1

Transport category:

3

Hazard No:

80

Tunnel restriction code:

E

#### Inland waterways transport (ADN)

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M APC

Revision date: 06.01.2023

Product code: GM0044

Page 11 of 13

**14.1. UN number or ID number:** UN 1760  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, N.O.S. (Tetrasodium pyrophosphate, Phosphoric acid, trisodium salt, dodecahydrate)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Classification code: C9  
 Special Provisions: 274  
 Limited quantity: 5 L  
 Excepted quantity: E1

#### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 1760  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, N.O.S. (Tetrasodium pyrophosphate, Phosphoric acid, trisodium salt, dodecahydrate)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Marine pollutant: NO  
 Special Provisions: 223, 274  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 EmS: F-A, S-B

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1760  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, N.O.S. (Tetrasodium pyrophosphate, Phosphoric acid, trisodium salt, dodecahydrate)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Special Provisions: A3 A803  
 Limited quantity Passenger: 1 L  
 Passenger LQ: Y841  
 Excepted quantity: E1  
 IATA-packing instructions - Passenger: 852  
 IATA-max. quantity - Passenger: 5 L  
 IATA-packing instructions - Cargo: 856  
 IATA-max. quantity - Cargo: 60 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

Safe handling: see section 7  
 Personal protection equipment: see section 8

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M APC

Revision date: 06.01.2023

Product code: GM0044

Page 12 of 13

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30, Entry 75

2010/75/EU (VOC):	not determined
2004/42/EC (VOC):	not determined
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)

##### Additional information

Safety Data Sheet according to UK-REACH Regulation  
 The mixture is classified as hazardous according to GHS (GB CLP).  
 UK REACH Appendix XVII, No (mixture): 3

##### National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

##### Changes

Rev. 1.0; Initial release: 25.11.2020  
 Rev. 1.1; 11.02.2021, Revision  
 Rev. 2.0; 19.05.2021, Revision (Changes in chapter: 2, 3, 12, 16)  
 Rev. 3.0; 09.09.2021, Revision  
 Rev. 4.0; 06.01.2023, Revision Changes in chapter: 2-16.

##### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 CAS: Chemical Abstracts Service  
 CLP: Classification, Labelling and Packaging of substances and mixtures  
 DNEL: Derived No Effect Level  
 d: day(s)  
 EINECS: European INventory of Existing Commercial chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 ECHA: European Chemicals Agency  
 EWC: European Waste Catalogue  
 IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
 ICAO: International Civil Aviation Organization  
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
 h: hour

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M APC

Revision date: 06.01.2023

Product code: GM0044

Page 13 of 13

LOAEL: Lowest observed adverse effect level  
 LOAEC: Lowest observed adverse effect concentration  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 NOAEL: No observed adverse effect level  
 NOAEC: No observed adverse effect concentration  
 NLP: No-Longer Polymers  
 N/A: not applicable  
 OECD: Organisation for Economic Co-operation and Development  
 PNEC: predicted no effect concentration  
 PBT: Persistent bioaccumulative toxic  
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )  
 REACH: Registration, Evaluation, Authorisation of Chemicals  
 SVHC: substance of very high concern  
 TRGS: Technische Regeln für Gefahrstoffe  
 UN: United Nations  
 VOC: Volatile Organic Compounds

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	Calculation method
Skin Corr. 1; H314	Calculation method
Eye Dam. 1; H318	Calculation method

#### Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.  
 H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H304 May be fatal if swallowed and enters airways.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.  
 H360D May damage the unborn child.  
 H400 Very toxic to aquatic life.  
 H412 Harmful to aquatic life with long lasting effects.  
 EUH208 Contains linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (LINALOOL), (R)-p-mentha-1,8-diene; d-limonene (LIMONENE). May produce an allergic reaction.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*