

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M CeramicDetailer

Revision date: 06.01.2023

Product code: GM0042

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

GYEON Q2M CeramicDetailer

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

vehicle shampoo/cleaner. Enthusiasts and professional use (End consumer)

#### Uses advised against

Any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Company name: Gyeon Technology  
 Street: 1405-538, 212, Gasan digital 1-ro  
 Place: Geumcheon-gu, Seoul, Korea  
 Telephone: +82-10-4339-3599  
 Contact person: Robert Gyeon  
 e-mail: sales@gyeon.co

#### Supplier

Company name: Gyeon UK Ltd  
 Street: Commercial Quay, 84 Commercial Stree  
 Place: GB-EH6 6LX Edinburgh  
 e-mail: hello@gyeonquartz.uk  
 Contact person: Richard Cooper Telephone: +44 (0)7984 056790

### 1.4. Emergency telephone number:

National Poisons Information Service - 03448920111. 'For healthcare professionals only'.

#### Further Information

Safety Data Sheet according to UK-REACH Regulation

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

Signal word: Warning

Pictograms:



#### Hazard statements

H319 Causes serious eye irritation.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P264 Wash hands thoroughly after handling.

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M CeramicDetailer

Revision date: 06.01.2023

Product code: GM0042

Page 2 of 11

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical advice/attention.

#### Special labelling of certain mixtures

EUH208 Contains (R)-p-mentha-1,8-diene; d-limonene (LIMONENE). May produce an allergic reaction.

#### 2.3. Other hazards

The substances in the mixture (> 0.1%) do not meet the PBT/vPvB criteria according to UK REACH. This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria. This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name	Quantity
	EC No	Index No
	REACH No	
	Classification (GB CLP Regulation)	
188627-10-3	Dimethyl siloxane, (ethanediamino-2-methylpropyl)methoxymethylsilyloxy- and C13-15-alkoxy-term.	3 - < 5 %
	Skin Irrit. 2, Eye Irrit. 2; H315 H319	
68131-39-5	Alcohols, C12-15, ethoxylated	1 - < 3 %
	500-195-7	
	Acute Tox. 4, Eye Dam. 1, Aquatic Chronic 3; H302 H318 H412	
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene (LIMONENE)	0.1 - < 0.2 %
	227-813-5	601-096-00-2
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 3; H226 H315 H317 H304 H400 H412	

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
68131-39-5	500-195-7	Alcohols, C12-15, ethoxylated	1 - < 3 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = 1650 - 2000 mg/kg	
5989-27-5	227-813-5	(R)-p-mentha-1,8-diene; d-limonene (LIMONENE)	0.1 - < 0.2 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 2000 mg/kg Aquatic Acute 1; H400: M=1	

#### Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, perfumes (Limonene, Linalool, Citral, Geraniol).

#### Further Information

Product does not contain listed SVHC substances > 0.1 % according to UK REACH.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M CeramicDetailer

Revision date: 06.01.2023

Product code: GM0042

Page 3 of 11

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Causes serious eye irritation.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

### SECTION 5: Firefighting measures

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. Alcohol resistant foam. Atomized water.

##### **Unsuitable extinguishing media**

High power water jet.

#### **5.2. Special hazards arising from the substance or mixture**

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Safe handling: see section 7

##### **For non-emergency personnel**

Wear personal protection equipment (refer to section 8).

##### **For emergency responders**

No special measures are necessary.

#### **6.2. Environmental precautions**

Discharge into the environment must be avoided.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

##### **For cleaning up**

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### **6.4. Reference to other sections**

Safe handling: see section 7

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M CeramicDetailer

Revision date: 06.01.2023

Product code: GM0042

Page 4 of 11

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. See section 8.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Always close containers tightly after the removal of product. Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and after work.

#### Further information on handling

General protection and hygiene measures: See section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 20 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

### 7.3. Specific end use(s)

See section 1.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls



#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). BS/EN 166

##### Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time  $\geq$  8 h

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M CeramicDetailer

Revision date: 06.01.2023

Product code: GM0042

Page 5 of 11

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time  $\geq$  8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The selected protective gloves have to satisfy the specifications of the Personal Protective Equipment at Work (Amendment) Regulations 2022 and the standard EN ISO 374.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-Exceeding exposure limit values

-Insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). Type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

#### Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	white	
Odour:	Squash	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		100 °C
Flammability:		not determined
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		>100 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		8
Viscosity / kinematic:		not determined
Water solubility:		not determined
Solubility in other solvents		not determined
Dissolution rate:		not relevant
Partition coefficient n-octanol/water:		SECTION 12: Ecological information

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M CeramicDetailer

Revision date: 06.01.2023

Product code: GM0042

Page 6 of 11

Dispersion stability:	not relevant
Vapour pressure:	not determined
Density:	not determined
Bulk density:	not determined
Relative vapour density:	not determined
Particle characteristics:	not relevant

#### 9.2. Other information

##### Information with regard to physical hazard classes

Explosive properties

none

Sustaining combustion:

No data available

Self-ignition temperature

Solid:

not relevant

Gas:

not relevant

Oxidizing properties

none

##### Other safety characteristics

Evaporation rate:

not determined

Solvent separation test:

not determined

Solvent content:

not determined

Solid content:

not determined

Sublimation point:

not determined

Softening point:

not determined

Pour point:

not determined

Viscosity / dynamic:

not determined

Flow time:

not determined

##### Further Information

No information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

Refer to chapter 10.5.

### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

### 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicokinetics, metabolism and distribution

No data available.

#### Acute toxicity

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M CeramicDetailer

Revision date: 06.01.2023

Product code: GM0042

Page 7 of 11

#### ATEmix calculated

ATE (oral) 165000,0 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
68131-39-5	Alcohols, C12-15, ethoxylated				
	oral	LD50 1650 - 2000 mg/kg	Rat.		
	dermal	LD50 > 2000 mg/kg	Rat.	ECHA Dossier	
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene (LIMONENE)				
	oral	LD50 > 2000 mg/kg	Rat	ECHA dossier	OECD Guideline 423
	dermal	LD50 > 5000 mg/kg		ECHA dossier	

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Contains (R)-p-mentha-1,8-diene; d-limonene (LIMONENE). May produce an allergic reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

(R)-p-mentha-1,8-diene; d-limonene:

In-vitro mutagenicity: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) = negative. Literature information: ECHA dossier; Carcinogenicity: Method: OECD Guideline 451 (Carcinogenicity Studies); Species: Rat; Length of test: 2 years; Result: NOAEL >= 300 <= 600 mg/kg; Literature information: ECHA dossier

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

(R)-p-mentha-1,8-diene; d-limonene:

Subacute oral toxicity: Species: Mouse. NOAEL = 1650 mg/kg; Literature information: ECHA dossier

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria.

##### Other information

No data available.

### SECTION 12: Ecological information

#### 12.1. Toxicity

The product has not been tested.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
68131-39-5	Alcohols, C12-15, ethoxylated					

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M CeramicDetailer

Revision date: 06.01.2023

Product code: GM0042

Page 8 of 11

	Acute fish toxicity	LC50	3,1 mg/l	96 h	Scophthalmus maximus	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	0,75	72 h	Pseudokirchnerella subcapitata	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	0,14	48 h	Daphnia magna	ECHA Dossier	
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene (LIMONENE)						
	Acute fish toxicity	LC50 mg/l	0,72	96 h	Pimephales promelas	ECHA dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	0,32	72 h	Pseudokirchneriella subcapitata	ECHA dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,307	48 h	Daphnia magna	ECHA dossier	OECD Guideline 202
	Acute bacteria toxicity	(EC50 mg/l)	209	3 h		ECHA dossier	

#### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene (LIMONENE)				
	OECD 301D / EEC 92/69 annex V, C.4-E	80 %	28	ECHA dossier	
	Easily biodegradable (concerning to the criteria of the OECD)				

#### 12.3. Bioaccumulative potential

##### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68131-39-5	Alcohols, C12-15, ethoxylated	6,65
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene (LIMONENE)	4,38

##### BCF

CAS No	Chemical name	BCF	Species	Source
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene (LIMONENE)	864,8	no data	ECHA dossier

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %.

#### 12.7. Other adverse effects

No data available.

#### Further information

Do not allow to enter into surface water or drains.

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M CeramicDetailer

Revision date: 06.01.2023

Product code: GM0042

Page 9 of 11

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.  
 Non-contaminated packages may be recycled.  
 According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.  
 Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

#### List of Wastes Code - residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

#### List of Wastes Code - used product

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

Refer to section 6 - 8

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M CeramicDetailer

Revision date: 06.01.2023

Product code: GM0042

Page 10 of 11

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2010/75/EU (VOC): not determined

2004/42/EC (VOC): not determined

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

##### Additional information

Safety Data Sheet according to UK-REACH Regulation

The mixture is classified as hazardous according to GHS (GB CLP).

UK REACH Appendix XVII, No (mixture): 3

Regulation (EC) No. 648/2004 (Detergents regulation)

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

##### Changes

Rev. 1.0; Initial release 11.11.2020

Rev. 1.1; 11.02.2021, Revision

Rev. 2.0; 06.01.2023, Revision Changes in chapter: 2-16.

##### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

AGW: Arbeitsplatzgrenzwert

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

ECHA: European Chemicals Agency

EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

## Safety Data Sheet

according to UK REACH Regulation

### GYEON Q2M CeramicDetailer

Revision date: 06.01.2023

Product code: GM0042

Page 11 of 11

LOAEL: Lowest observed adverse effect level  
 LOAEC: Lowest observed adverse effect concentration  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 NOAEL: No observed adverse effect level  
 NOAEC: No observed adverse effect concentration  
 NLP: No-Longer Polymers  
 N/A: not applicable  
 OECD: Organisation for Economic Co-operation and Development  
 PNEC: predicted no effect concentration  
 PBT: Persistent bioaccumulative toxic  
 RID: Regulation Concerning the International Transport of Dangerous Goods by Rail  
 REACH: Registration, Evaluation, Authorisation of Chemicals  
 SVHC: substance of very high concern  
 TRGS: Technische Regeln für Gefahrstoffe  
 UN: United Nations  
 VOC: Volatile Organic Compounds

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

#### Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains (R)-p-mentha-1,8-diene; d-limonene (LIMONENE). May produce an allergic reaction.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*