

Safety Data Sheet

according to UK REACH Regulation

GYEON Q2 Mohs EVO

Revision date: 21.12.2022

Product code: G0029

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

GYEON Q2 Mohs EVO

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Vehicle protective product - ceramic coating designed for paintwork
Enthusiasts and professional use (End consumer)

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Gyeon Technology
Street: 1405-538, 212, Gasan digital 1-ro
Place: Geumcheon-gu, Seoul, Korea
Telephone: +82-10-4339-3599
Contact person: Robert Gyeon
e-mail: sales@gyeon.co

Supplier

Company name: Gyeon UK Ltd
Street: Commercial Quay, 84 Commercial Street
Place: GB-EH6 6LX Edinburgh
e-mail: hello@gyeonquartz.uk
Contact person: Richard Cooper Telephone: +44 (0)7984 056790

1.4. Emergency telephone number:

National Poisons Information Service - 03448920111. 'For healthcare professionals only'.

Further Information

Safety Data Sheet according to UK-REACH Regulation

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 3; H226
Asp. Tox. 1; H304
Skin Corr. 1B; H314
Eye Dam. 1; H318
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha
Cyclosilazanes, di-Me, Me hydrogen, polymers with di-Me, Me hydrogen silazanes, reaction products with 3-(triethoxysilyl)-1-propanamine

Signal word: Danger

Safety Data Sheet

according to UK REACH Regulation

GYEON Q2 Mohs EVO

Revision date: 21.12.2022

Product code: G0029

Page 2 of 13

Pictograms:



Hazard statements

| | |
|------|--------------------------------------------------|
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H411 | Toxic to aquatic life with long lasting effects. |

Precautionary statements

| | |
|----------------|----------------------------------------------------------------------------------------------------------------------------------|
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |

2.3. Other hazards

The substances in the mixture (> 0.1%) do not meet the PBT/vPvB criteria according to UK REACH. This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria. This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria. In use, may form flammable/explosive vapour-air mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | Quantity |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------|--------------|
| | EC No | Index No |
| | REACH No | |
| | Classification (GB CLP Regulation) | |
| 64742-48-9 | Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha | ca. 90 % |
| | 265-150-3 | 649-327-00-6 |
| | Flam. Liq. 3, Asp. Tox. 1, Aquatic Chronic 2; H226 H304 H411 | |
| 475645-84-2 | Cyclosilazanes, di-Me, Me hydrogen, polymers with di-Me, Me hydrogen silazanes, reaction products with 3-(triethoxysilyl)-1-propanamine | 10 - < 12 % |
| | Flam. Liq. 2, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Aquatic Chronic 3; H225 H302 H314 H318 H412 | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------|-------------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 64742-48-9 | 265-150-3 | Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha | ca. 90 % |
| | | inhalation: LC50 = (5,61) mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg | |
| 475645-84-2 | | Cyclosilazanes, di-Me, Me hydrogen, polymers with di-Me, Me hydrogen silazanes, reaction products with 3-(triethoxysilyl)-1-propanamine | 10 - < 12 % |
| | | oral: ATE = 500 mg/kg | |

Safety Data Sheet

according to UK REACH Regulation

GYEON Q2 Mohs EVO

Revision date: 21.12.2022

Product code: G0029

Page 3 of 13

Further Information

- Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha (P)
 Note P: The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0.1 % w/w benzene (Einecs No 200-753-7).

Product does not contain listed SVHC substances > 0.1 % according to UK REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician. In the case of lung irritation: Primary treatment using corticoide spray, eg. Auxiloson spray, Pulmicort-dosage-spray. (Auxiloson and Pulmicort are registered trademarks).

After contact with skin

Seek medical treatment immediately.
 After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing.

After contact with eyes

Seek medical treatment immediately.
 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Observe risk of aspiration if vomiting occurs. Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation can cause damage to the respiratory tract or lungs.
 May be fatal if swallowed and enters airways.
 following inhalation: Headache. spasms. Repeated exposure may cause skin dryness or cracking. Caution if victim vomits: Risk of aspiration!

Causes severe skin burns and eye damage.
 If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).
 Repeated exposure may cause skin dryness or cracking.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam. Carbon dioxide. In case of major fire and large quantities: Water spray.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Gas/vapours, irritant. Carbon monoxide (CO). Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Safety Data Sheet

according to UK REACH Regulation

GYEON Q2 Mohs EVO

Revision date: 21.12.2022

Product code: G0029

Page 4 of 13

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove persons to safety. Provide adequate ventilation. Remove all sources of ignition. Wear personal protection equipment. (See section 8.)

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Eliminate leaks immediately. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

Other information

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clear contaminated areas thoroughly.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Conditions to avoid: aerosol or mist formation

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges.

Flammable vapours can accumulate in head space of closed systems. In use, may form flammable/explosive vapour-air mixture. Heating causes rise in pressure with risk of bursting.

Advice on general occupational hygiene

The usual precautions for handling chemicals should be considered.

Keep away from food, drink and animal feedingstuffs.

Always close containers tightly after the removal of product. Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and after work. Protect skin by using skin protective cream. Take off contaminated clothing.

Further information on handling

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Safety Data Sheet

according to UK REACH Regulation

GYEON Q2 Mohs EVO

Revision date: 21.12.2022

Product code: G0029

Page 5 of 13

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Protect against direct sunlight.
Ensure adequate ventilation of the storage area.
Make sure spills can be contained (e.g. sump pallets or kerbed areas).

Hints on joint storage

Do not store together with: Gas. Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances and mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. Oxidizing solids. ammonium nitrate. Self-reactive substances and mixtures. Organic peroxides. Non-combustible toxic substances. Radioactive substances. Infectious substances.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.
Protect against: UV-radiation/sunlight. heat. Humidity frost.
storage temperature: 15 - 25 °C

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.
Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. BS/EN 166

Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves. (BS EN 374)
Suitable material: Butyl rubber.
Thickness of glove material: 0,5 mm

Breakthrough time \geq 480 min. Penetration time (maximum wearing period): ~ 120 min. (estimated)

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The selected protective gloves have to satisfy the specifications of the Personal Protective Equipment at Work (Amendment) Regulations 2022 and the standard EN ISO 374.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Wear suitable protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Safety Data Sheet

according to UK REACH Regulation

GYEON Q2 Mohs EVO

Revision date: 21.12.2022

Product code: G0029

Page 6 of 13

Generation/formation of aerosols
 Exceeding exposure limit values
 Insufficient ventilation
 Suitable respiratory protective equipment: Combination filtering device (EN 14387) Type: A/P1-3
 The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|-----------------------------------------------------------|------------------------------------|----------------|
| Physical state: | liquid | |
| Colour: | colourless | |
| Odour: | mild solvent odor | |
| Odour threshold: | not determined | |
| Melting point/freezing point: | | not determined |
| Boiling point or initial boiling point and boiling range: | | 103 °C |
| Flammability: | | not determined |
| Lower explosion limits: | | not determined |
| Upper explosion limits: | | not determined |
| Flash point: | | 40 °C |
| Auto-ignition temperature: | | not determined |
| Decomposition temperature: | | not determined |
| pH-Value: | | not determined |
| Viscosity / kinematic: | | not determined |
| Water solubility: | | not miscible |
| Solubility in other solvents | | |
| not determined | | |
| Dissolution rate: | | not relevant |
| Partition coefficient n-octanol/water: | SECTION 12: Ecological information | |
| Dispersion stability: | | not relevant |
| Vapour pressure: | | not determined |
| Density: | | not determined |
| Bulk density: | | not determined |
| Relative vapour density: | | not determined |
| Particle characteristics: | | not relevant |

9.2. Other information

Information with regard to physical hazard classes

| | |
|----------------------------------------------------------|-------------------|
| Explosive properties | |
| In use, may form flammable/explosive vapour-air mixture. | |
| Sustaining combustion: | No data available |
| Self-ignition temperature | |
| Solid: | not relevant |
| Gas: | not relevant |
| Oxidizing properties | |
| none. | |

Other safety characteristics

| | |
|--------------------------|----------------|
| Evaporation rate: | not determined |
| Solvent separation test: | not determined |
| Solvent content: | not determined |

Safety Data Sheet

according to UK REACH Regulation

GYEON Q2 Mohs EVO

Revision date: 21.12.2022

Product code: G0029

Page 7 of 13

| | |
|----------------------|----------------|
| Solid content: | not determined |
| Sublimation point: | not determined |
| Softening point: | not determined |
| Pour point: | not determined |
| Viscosity / dynamic: | not determined |
| Flow time: | not determined |

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat. Moisture.
In use may form flammable/explosive vapour-air mixture.
Heating causes rise in pressure with risk of bursting.

10.5. Incompatible materials

Oxidizing agents, strong. Strong acid. Air. (Formations of peroxides possible.)

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicokinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.
The product has not been tested.

ATEmix calculated

ATE (oral) 5035,2 mg/kg

| CAS No | Chemical name | | | | |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------|------------------|---------|--------------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 64742-48-9 | Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha | | | | |
| | oral | LD50 >5000 mg/kg | Rat | ECHA Dossier | |
| | dermal | LD50 >2000 mg/kg | Rabbit | ECHA Dossier | |
| | inhalation (4 h) dust/mist | LC50 (5,61) mg/l | Rat | ECHA Dossier | |
| 475645-84-2 | Cyclosilazanes, di-Me, Me hydrogen, polymers with di-Me, Me hydrogen silazanes, reaction products with 3-(triethoxysilyl)-1-propanamine | | | | |
| | oral | ATE 500 mg/kg | | | |

Irritation and corrosivity

Causes severe skin burns and eye damage.
Causes serious eye damage.

Safety Data Sheet

according to UK REACH Regulation

GYEON Q2 Mohs EVO

Revision date: 21.12.2022

Product code: G0029

Page 8 of 13

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:

In-vitro mutagenicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) ; Result:

negative. Literature information: ECHA dossier; Carcinogenicity: Method: (dermal.) OECD Guideline 451

(Carcinogenicity Studies); Species: Mouse.; Length of test: 2 years; Result: negative. Literature information:

ECHA dossier; Reproductive toxicity: Method: OECD Guideline 416 (Two-Generation Reproduction Toxicity

Study); Species: Rat; Result: NOAEL >= 20000 mg/kg; Literature information: ECHA dossier

Developmental toxicity/teratogenicity: Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study);

Species: Rat Result: NOAEL = 239000 mg/kg; Literature information: ECHA dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:

Subchronic inhalative toxicity:

Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies); Exposure time: 2 years;

Species: Rat; Results: NOAEC = 1402 mg/m3; Literature information: ECHA dossier

Aspiration hazard

May be fatal if swallowed and enters airways.

Specific effects in experiment on an animal

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Further information

Solvent:

Symptoms: Depression of the central nervous system. Liver and kidney damage. drowsiness. vomiting.

Nausea. Dizziness. unconsciousness. Impaired consciousness. Intoxication. erythema (redness)

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.

| CAS No | Chemical name | | | | | |
|------------|------------------------------------------------------------------------------------|-------------------|-----------|---------|--------------------------------|--------------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 64742-48-9 | Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha | | | | | |
| | Acute fish toxicity | LC50 8,2 mg/l | LL50: | 96 h | Pimephales promelas | ECHA Dossier |
| | Acute algae toxicity | ErC50 3,1 mg/l | EL50: | 72 h | Pseudokirchnerella subcapitata | ECHA Dossier |
| | Acute crustacea toxicity | EC50 4,5 mg/l | EL50: | 48 h | Daphnia magna | ECHA Dossier |
| | Crustacea toxicity | NOEC 2,6 mg/l | NOELR: | 21 d | Daphnia magna | ECHA Dossier |

12.2. Persistence and degradability

The product has not been tested.

| CAS No | Chemical name |
|--------|---------------|
|--------|---------------|

Safety Data Sheet

according to UK REACH Regulation

GYEON Q2 Mohs EVO

Revision date: 21.12.2022

Product code: G0029

Page 9 of 13

| | Method | Value | d | Source |
|------------|-------------------------------------------------------------------------------------|-------|----|--------------|
| | Evaluation | | | |
| 64742-48-9 | Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha | | | |
| | OECD Guideline 301 F | 77% | 28 | ECHA Dossier |
| | Easily biodegradable (concerning to the criteria of the OECD) | | | |

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %.

12.7. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2920

Safety Data Sheet

according to UK REACH Regulation

GYEON Q2 Mohs EVO

Revision date: 21.12.2022

Product code: G0029

Page 10 of 13

14.2. UN proper shipping name:

CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Cyclosilazanes, di-Me, Me hydrogen, polymers with di-Me, Me hydrogen silazanes, reaction products with 3-(triethoxysilyl)-1-propanamine)

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8+3



Classification code:

CF1

Special Provisions:

274

Limited quantity:

1 L

Excepted quantity:

E2

Transport category:

2

Hazard No:

83

Tunnel restriction code:

D/E

Inland waterways transport (ADN)

14.1. UN number or ID number:

UN 2920

14.2. UN proper shipping name:

CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Cyclosilazanes, di-Me, Me hydrogen, polymers with di-Me, Me hydrogen silazanes, reaction products with 3-(triethoxysilyl)-1-propanamine)

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8+3



Classification code:

CF1

Special Provisions:

274

Limited quantity:

1 L

Excepted quantity:

E2

Marine transport (IMDG)

14.1. UN number or ID number:

UN 2920

14.2. UN proper shipping name:

CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Cyclosilazanes, di-Me, Me hydrogen, polymers with di-Me, Me hydrogen silazanes, reaction products with 3-(triethoxysilyl)-1-propanamine)

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8+3



Marine pollutant:

YES

Special Provisions:

274

Limited quantity:

1 L

Excepted quantity:

E2

EmS:

F-E, S-C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

UN 2920

14.2. UN proper shipping name:

CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Cyclosilazanes, di-Me, Me hydrogen, polymers with di-Me, Me hydrogen silazanes, reaction products with 3-(triethoxysilyl)-1-propanamine)

Safety Data Sheet

according to UK REACH Regulation

GYEON Q2 Mohs EVO

Revision date: 21.12.2022

Product code: G0029

Page 11 of 13

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8+3



Limited quantity Passenger:

0.5 L

Passenger LQ:

Y840

Excepted quantity:

E2

IATA-packing instructions - Passenger:

851

IATA-max. quantity - Passenger:

1 L

IATA-packing instructions - Cargo:

855

IATA-max. quantity - Cargo:

30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

Yes



Danger releasing substance:

Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha

14.6. Special precautions for user

See section 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC):

No information available.

2004/42/EC (VOC):

No information available.

Information according to 2012/18/EU (SEVESO III):

E2 Hazardous to the Aquatic Environment

Additional information:

P5c

Additional information

Safety Data Sheet according to UK-REACH Regulation

The mixture is classified as hazardous according to GHS (GB CLP).

UK REACH Appendix XVII, No (mixture): 3, 40

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

2 - obviously hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: Other information

Changes

Rev. 1,0; 10.09.2021, Initial release

Safety Data Sheet

according to UK REACH Regulation

GYEON Q2 Mohs EVO

Revision date: 21.12.2022

Product code: G0029

Page 12 of 13

Rev. 2.0; 21.12.2022, Revision Changes in chapter: 2-16

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

ECHA: European Chemicals Agency

EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern

TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Flam. Liq. 3; H226 | On basis of test data |
| Asp. Tox. 1; H304 | Calculation method |
| Skin Corr. 1B; H314 | Calculation method |
| Eye Dam. 1; H318 | Calculation method |
| Aquatic Chronic 2; H411 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|------|-----------------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |

Safety Data Sheet

according to UK REACH Regulation

GYEON Q2 Mohs EVO

Revision date: 21.12.2022

Product code: G0029

Page 13 of 13

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)